

**KERALA IRRIGATION INFRASTRUCTURE DEVELOPMENT CORPORATION LIMITED,  
HILLY AQUA CORPORATE OFFICE  
(A Government of Kerala Undertaking)  
T.C. 24/2013 (4), Devaswom Board Jn., YMR Road, Kowdiar P. O, Thiruvananthapuram 695 003  
Contact No. 0471-2506816 / 9995728326 / 9495000862**

**QUOTATION NOTICE**

KI IDC/HILLY AQUA/Quot-20/2024

Dated 28/10/2024

**Sub: - Supply of PET Preforms 32gms for 1500ml packaged drinking water bottle Plant at Aruvikkara, Thiruvananthapuram, Kerala.**

Senior General Manager, KI IDC, Thiruvananthapuram invites quotations for the item in sealed cover for the Supply of PET Preforms 32 gms for 1500ml packaged drinking water bottle Plant at Aruvikkara, Thiruvananthapuram, Kerala.

**Last date for receipt of Quotation - 06.11.2024**

**5:00 PM**

**Date & time of opening Quotation - 07.11.2024**

**11:00 AM**

The envelop should be super scribed Quotation for supply of PET Preforms for 1500 ml

Sl No	Item	Quantity	RATE Per KG	TOTAL AMOUNT (INCLUSIVE GST)
1	Supply of 28 mm neck size PET Preforms for 1500ml Drinking Water Bottle, Weight: 32 gms, Length: 120 mm $\pm$ 2 mm	3Lakhs nos		

**Technical Specifications:** Weight: 32 gms, Raw Material: Polyethylene Terephthalate resin with IV 0.80  $\pm$  0.02. Only virgin raw material shall be used. Weight: 32 gms, deviation can be accepted. Neck: 28 mm, Three start / half twist thread Color of preform: Clear Length: 120 mm  $\pm$  2 mm, max. deviation can be accepted. Three start / Half twist thread However, performs with minus grammage deviation in 1000nos shall be limited to 5% Foreign/Black. Particles: Preforms should be fully free from any Foreign or Black particles. Flashes are not acceptable Fused Preforms: Preforms should not be stuck together Crystallinity: Crystallinity in the end of the Preform shall not exceed more than 10 mm from the gate. Bubbles are not acceptable. Scratches: Scratches should not be visible to the naked eye Acetaldehyde Content: < 3 ppm. The product should be in line or superior in quality comparing with the leading soft drink and mineral water manufacturers. It is desirable to have plastic bottles made of polyethylene terephthalate resin containing only a very low level of aldehyde or of any other material that may give a taste to a drink bottled therein.

**SPECIAL CONDITIONS:**

1. All the rates quoted should be inclusive of freight, duties & taxes. However, bidder shall enter separately the taxes for our reference.
2. Payment terms: Full payment within one week after delivery.
3. The bidder has to quote for the specification and unit noted in the schedule.
4. Supply of Defective or inferior quality if any noticed shall be replaced by the bidder Immediately.
5. Copy of the Test certificates for preforms manufactured regarding material specification, physical and performance parameter to be enclosed along with the quotation.
6. Delivery at the factory at Aruvikkara, Thiruvananthapuram, Kerala.

  
**Senior General Manager**