

**KERALA IRRIGATION INFRASTRUCTURE DEVELOPMENT CORPORATION
LTD.**

No- KIIDC/393/2021/PE4

Date: 29/08/2025.

QUOTATION NOTICE

Sealed quotations are invited for the works.

Sl. No.	Quotation Number	Name of Work	EMD of work
1	Quotation 20/2025-2026	GENERAL-Setting up of water Quality Lab in GHSS Areekode-in Malappuram District-General Civil Work Rs. 1,20,960/- only	Rs. 3,024/-
2	Quotation 21/2025-26	GENERAL-Setting up Water Quality Lab in GVHSS Omanoor-in Kondotty LAC in Malappuram District -General Civil Work Rs. 1,19,801/- only	Rs. 2995/-

1. Bidders can drop their quotations within 7 days, after the issue of this Quotation Notice at 11:00 hours in the office of the undersigned at Kerala Irrigation Infrastructure Development Corporation Ltd. (KIIDC) Jalabhavan Campus, Vellayambalam P.O., Thiruvananthapuram – 695033. The quotations will be opened on the same day at 14:00 hours. Quotations will be opened in presence of bidders who may like to attend.
2. The words “**NAME OF WORK**” should be inscribed on envelope of the quotation.
3. An EMD of each work listed above in the form of Demand Draft, drawn in favour of the Managing Director, KIIDC Thiruvananthapuram should be included along with the quotation.
4. All the quotations must be submitted with photocopy of PAN card, GST, Registration Certificate.
5. Bidder shall be responsible for the payment of all type of taxes, as applicable.
6. Any damage to the existing building/structure/fencing/wiring/sewer lines/water lines/telephone cables/power cables etc. during carriage of material or otherwise shall be rectified/made good by the applicant/firm.
7. The successful bidder shall be responsible for and shall comply all safety measures, labour regulations, traffic rules & timings, provisions etc.
8. The bidder shall be liable for any mis-happening, damage at site or outside. KIIDC shall not be responsible for that.

9. In case KIIDC is not satisfied with the performance of bidder or progress of works, KIIDC has the right to cancel the work order and forfeit the bid security. The bidder shall not be entitled for any compensation from KIIDC.
10. The KIIDC reserves the right to postpone or cancel the tender without showing any reason.

Special Conditions of Contract

The following special conditions shall apply to the contract for the supply of Equipments for water quality testing. The Standard Conditions of Contract (for supply of materials or stores) shall apply except for the provisions mentioned herein. Where they differ from the Standard Conditions, the Special Conditions shall override the Standard Conditions.

1. The supply of Equipments for water quality testing should be as per the specifications.
2. The validity of the Contract would be for a period of 4 months from the date as will be mentioned in the letter of acceptance. Purchaser reserves the right to extend the Contract for a further period of 3 months on the same rates, terms, and conditions.
3. Purchaser reserves the right to increase the quantity up to 30% of the tendered quantity within the period of validity of the contract and on the same rates, terms & conditions. The purchaser also reserves the right to stop taking supply of any item of this contract or reduce its quantity to any extent during the currency of this contract without assigning any reasons.
4. The Purchaser shall issue Delivery Orders based on the requirement at the plants. The quantities mentioned in the Schedule are only approximates and are likely to vary. No tolerance will be accepted for late delivery and penalty clause as mentioned in Standard Conditions of Contract shall apply to all late deliveries subject to acceptance of the material by the Consignee and extension of the delivery date by the Purchaser. Transit insurance must be arranged by the Contractor. It may be noted the quantity supplied should not be more than the ordered quantity. No additional payment will be made for excess quantity, and it will not be adjusted with the subsequent order.
5. Packing: Equipments for water quality testing should be packed in transparent polythene bags and then put in to corrugated box. Carton should be designed in a manner that the pack should be able to withstand the transit and storage load. The damaged equipments will be rejected after visual inspection and should be immediately

replaced by the supplier. Boxes equipments should be labelled on the outside with the following information:

- a. Supplier name
- b. Quantity in Box
- c. Name of the Consignee
- d. Date of Production
- e. Time/Shift of production.
- f. Batch No

6. Inspection: Inspection/quality test report shall be enclosed with each supply of equipments by the Contractor. Inspection shall also be carried out at the Consignees premises by the officers of KIIDC and the Lot would be accepted by the purchaser only on receipt of the certification from KIIDC. The lot size and sampling method to be employed and tolerance shall be decided by Purchaser at the time of signing of the Agreement. The Rejections would be dealt with in the manner set forth in the Standard Conditions.

7. Payment Terms: hundred Percent payments after receipt and acceptance of the material of contract. No advance payment will be allowed under any circumstances.


Chief Executive officer

KERALA IRRIGATION INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

Jalabhavan Campus, Vellayambalam P.O.,
Thiruvananthapuram – 695033.
(A Government of Kerala Undertaking)

No. KIIDC/393/2021/PE4

QUOTATION SCHEDULE

Name of the Work: GENERAL-Setting up of water Quality Lab in GHSS Areekode-in Malappuram District-
General Civil Work

Estimate Amount: ₹1,20,960/-

Name of the Bidder:

Address of the Bidder:

QUOTATION 20/2025-2026					
Name of work:GENERAL-Setting up of water Quality Lab in GHSS Areekode-in Malappuram District- General Civil Work					
SI NO	ITEM DESCRIPTION	QUANTIT Y	UNITS	RATE IN FIGURES TO BE ENTERED BY THE BIDDER	Total Amount
					In Figures
	Appendix A - Civil Work				
1	Supplying and Providing Metal Frame desk (1.2 m length, 0.40m width, 0.85 m height) with SS304, Stainless Steel sheet top (1.2 mm thick) and two storage space with SS Sheet (1.2 mm thick) Vertical Members made of 1 inch ss pipe electrical welded, ends closed provided with rubber bush.	1	no		
2	Supplying and Providing of Insulated Rubber floor mat of suitable colour of thickness
3-50mm and density 1.6g/cm3 and hardness 65+/-5 shore according to requirement in the individual school
as mentioned in the name of work	1.28	sqm		

3	Supplying and Providing of Circular/Rectangular stool with 19mm dia/square Stainless steel Frame and dimension 360mm dia/360mmx360mmx450mm height and leg rest at 75mm from ground in the individual school as mentioned in the name of work	1	no		
4	Supplying and providing chair made with MS seating, MS frame work, MS back rest and MS head rest and dimensions 400mm x 400mm x 450mm seat height as required in the individual school as mentioned in the name of work	1	no		
5	Supplying and providing of metal steel Almirah/Cup Board having dimensions 1005mm x 457mm x 457mm including polishing fittings, carriage etc complete of reputed make MS Sheet (20 gauge front and 22 gauge side and back) in the individual school as mentioned in the name of work.	1	no		
6	Supplying and Providing rectangular steel table with locker of dimensions 1200mmx800mmx600mm with 1.2mm thick MS Sheet ISI Prelaminate including carriage, fitting etc with paint complete in the individual school as mentioned in the name of work	1	no		
7	18.65: Providing and fixing PTMT Soap Dish Holder having length of 138 mm, breadth 102 mm, height of 75 mm with concealed fittings arrangements, weighing not less than 106 gms.	1	each		

8	Supply and fixing of C.P towel rod 450mm long or nearest available length including
cost of materials, labours etc complete	1	each		
9	17.11.1Providing and fixing white vitreous china laboratory sink with C.I brackets, C.P. brass chain with rubber plug 40 mm C.P. brass waste and 40 mm C.P. brass trap with necessary C.P. brass unions complete, including painting of fittings and brackets, cutting and making good the wall wherever required:Size 450x300x150 mm	1	each		
10	18.51.1 : Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms.15 mm nominal bore	1	each		
11	18.53.1 :Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS: 893115 mm nominal bore	1	each		
12	50.18.9.13.2 : Providing and fixing PVC pipes, fittings including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step PVC solvent cement and testing of joints complete as per direction of Engineer-in-Charge 25 mm dia 10 Kgf/cm ² - External work - Exposed on wall	10	metre		
13	50.18.9.16.2 : Providing and fixing PVC pipes, fittings including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step PVC solvent cement and testing of joints complete as per direction of Engineer-in-Charge 50 mm dia 6Kgf/cm ² - External work - Exposed on wall	5	metre		

14	13.46.1 Finishing walls with acrylic s,mooth exterior paint of required shade:New work (Two or more coat applied @1.67ltr/10 sqm over and including priming coat of exterior primer applied @2.20kg/10sqm)	15	sqm		
15	8.31: Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	0.27	sqm		
16	Supplying and providing Haritha Keralam logo using polyvinyl sticker of size 450 mm x 450 mm with adhesive backing including printing charges and fixing properly at a place directed by the concerned engineer in charge.	1	each		
17	Supply and providing engraved granite sign board 2D,Black colour ,Thickness 8- 10mm includes engraving 150 letters(approximately), plastering ,labour charges etc including fixing properly at a place directed by the concerned engineer in charge	0.27	sqm		
	Appendix B - Electrical Work				

1	1.10.3 : Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required.Group C PVC insulated copper conductor single core cable etc as required.Group C	1	point		
2	1.24.3 : Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.15/16 amp switch	1	each		
3	90.3.19.3: Supply conveyance, installation, testing and commissioning the light fittings of following types made from CRCA sheet 0.5mm thickness with all accessories and lamps directly on wall and giving connections with 16/0.20 mm 3 core PVC insulated and sheathed round copper conductor flex wire or extending the original wiring and giving connections as required1200 mm 1X20W LED Lamp with box type fixture	1	each		
4	1.27.2: Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc as required.3 Module (100mmX75mm)	1	each		
5	1.24.1: Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.5/6 amps switch	1	each		

6	Supplying, Conveyance , installation , testing and commissioning of Pedestal Fan of good quality having 55 watts, sweep size - 450mm and a speed of 1400 rpm - Preferably Crompton or equivalent	1	each		
	Appendix C- Equipments				
1	Supplying and Providing ready to use H2S strip bottles for testing the presence of undesirable amount of coliform bacteria in water sample in the individual schools as mentioned in the name of work.	900	no		
2	Supplying and providing Sterilized PP bottles for collecting bacteriological sample (reagent bottles) 200 ml graduated, screw capped, separately sealed and packed in the individual schools as mentioned in the name of work.	900	no		
3	Supplying and providing Beaker 100ml borosilicate graduated in the individual schools as mentioned in the name of work	3	no		
4	Supplying and Providing Sodium thiosulphate (dechlorinating agent)-white crystals,250gm reagent grade in the individual schools as mentioned in the name of work	1	each		
5	Supplying and Providing multi parameter water quality Analyser (Portable, water proof) for measuring pH, electrical conductivity and total dissolved solids/Salt/Temperature with Calibaration solutions 200ml for the above parameters for testing with Calibaration Standard pH- 4.7, ec 84uS as mentioned in the name of work	1	each		
6	Supplying and Providing Double distilled water 10 litre in the schools as mentioned in the work.	1	each		

7	Supplying and Providing Colour Comparater test kits for measuring amount of Ammonia and Nitrate present in test water with test tubes/bottles reagent solutions mixing rod etc in the individual schools as mentioned in the name of work.	3	no		
	Appendix D - Stationaries				
1	Suppling and providing Toilet paper roll-100gms,1 Roll (2ply,minimum 125 sheets) less than 80 GSM in the individual schools as mentioned in the name of work	2	roll		
2	Supplying and providing A4 sheet paper bundle,whitw 500 sheets in the individual schools as mentioned in the name of work	1	bundle		
3	Supplying and providing of Report files Plastic,A4size in the individual schools as mentioned in the name of work	5	no		
4	Supplying and providing of Pen-blue or black ball point pen in the individual schools as mentioned in the name of work	5	each		
5	Supplying and providing Paper clip board-wooden A4 size(330mmx228mmx3mm) in the individual schools as mentioned in the name of work	1	no		
6	Supplying and providing Permanent markers- black/blue ink,fine tip,Marks on metal,OHP sheets ,plastic,glass and ceramics.Water resistant in the invidual schools as mentioned in the above work	3	no		

7	Supplying and providing premium quality cotton hand towel .
 Super Absorbent, 100% Cotton, Quick Dry, Hydro Organic HD Technology of required colour 100% COTTON,400 GSM of size 400mmx600mm
	1	no		
8	Supplying and providing Soap of Approved Brand in the individual schools as mentioned in the name of work.	1	each		
9	Supplying and providing Alcohol-based hand sanitizer/hand wash, with alcohol content of 60-80%, and capacity of 200ml of Approved brand
	1	no		
Total (in ₹) (excl. GST)					
(In words)					

Contractor

Chief Executive Officer

KERALA IRRIGATION INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

Jalabhavan Campus, Vellayambalam P.O.,
Thiruvananthapuram – 695033.
(A Government of Kerala Undertaking)

No. KIIDC/393/2021/PE4

QUOTATION SCHEDULE

Name of the Work: GENERAL-Setting up Water Quality Lab in GVHSS Omanoor-in Kondotty LAC in
Malappuram District -General Civil Work

Estimate Amount: ₹1,19,801/-

Name of the Bidder:

Address of the Bidder:

QUOTATION 21/2025-2026					
Name of work:GENERAL-Setting up Water Quality Lab in GVHSS Omanoor-in Kondotty LAC in Malappuram District.-General Civil Work					
SI NO	ITEM DESCRIPTION	QUANTITY	UNITS	RATE IN FIGURES TO BE ENTERED BY THE BIDDER	Total Amount
				In Figures	In Figures
	Appendix A - Civil Work				
1	Supplying and Providing Metal Frame desk (1.2 m length, 0.40m width, 0.85 m height) with SS304, Stainless Steel sheet top (1.2 mm thick) and two storage space with SS Sheet (1.2 mm thick) Vertical Members made of 1 inch ss pipe electrical welded, ends closed provided with rubber bush	1	no		
2	Supplying and Providing of Insulated Rubber floor mat of suitable colour of thickness
3-50mm and density 1.6g/cm3 and hardness 65+/-5 shore according to requirement in the individual school
as mentioned in the name of work	1.28	sqm		

3	Supplying and Providing of Circular/Rectangular stool with 19mm dia/square Stainless steel Frame and dimension 360mm dia/360mmx360mmx450mm height and leg rest at 75mm from ground in the individual school as mentioned in the name of work	1	no		
4	Supplying and providing chair made with MS seating, MS frame work, MS back rest and MS head rest and dimensions 400mm x 400mm x 450mm seat height as required in the individual school as mentioned in the name of work	1	no		
5	Supplying and providing of metal steel Almirah/Cup Board having dimensions 1005mm x 457mm x 457mm including polishing fittings, carriage etc complete of reputed make MS Sheet (20 gauge front and 22 gauge side and back) in the individual school as mentioned in the name of work.	1	no		
6	Supplying and Providing rectangular steel table with locker of dimensions 1200mmx800mmx600mm with 1.2mm thick MS Sheet ISI Prelaminate including carriage, fitting etc with paint complete in the individual school as mentioned in the name of work	1	no		
7	18.65: Providing and fixing PTMT Soap Dish Holder having length of 138 mm, breadth 102 mm, height of 75 mm with concealed fittings arrangements, weighing not less than 106 gms.	1	each		
8	Supply and fixing of C.P towel rod 450mm long or nearest available length including cost of materials, labours etc complete	1	each		

9	17.11.1 Providing and fixing white vitreous china laboratory sink with C.I brackets, C.P. brass chain with rubber plug 40 mm C.P brass waste and 40 mm C.P. brass trap with necessary C.P. brass unions complete, including painting of fittings and brackets, cutting and making good the wall wherever required:Size 450x300x150 mm	1	each		
10	18.51.1 : Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms.15 mm nominal bore	1	each		
11	18.53.1 :Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS: 893115 mm nominal bore	1	each		
12	50.18.9.13.2 : Providing and fixing PVC pipes, fittings including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step PVC solvent cement and testing of joints complete as per direction of Engineer-in-Charge 25 mm dia 10 Kg/cm ² - External work - Exposed on wall	10	metre		
13	50.18.9.16.2 : Providing and fixing PVC pipes, fittings including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step PVC solvent cement and testing of joints complete as per direction of Engineer-in-Charge 50 mm dia 6Kg/cm ² - External work - Exposed on wall	5	metre		
14	13.46.1 Finishing walls with acrylic s,mooth exterior paint of required shade:New work (Two or more coat applied @1.67ltr/10 sqm over and including priming coat of exterior primer applied @2.20kg/10sqm)	15	sqm		

15	11.36: Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS : 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer - in- Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	0.27	sqm		
16	Supplying and providing Haritha Keralam logo using polyvinyl sticker of size 450 mm x 450 mm with adhesive backing including printing charges and fixing properly at a place directed by the concerned engineer in charge.	1	each		
	Appendix B - Electrical Work				
1	1.10.3 : Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required.Group C PVC insulated copper conductor single core cable etc as required.Group C	1	point		
2	1.24.3 : Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.15/16 amp switch	1	each		

3	90.3.19.3: Supply conveyance, installation, testing and commissioning the light fittings of following types made from CRCA sheet 0.5mm thickness with all accessories and lamps directly on wall and giving connections with 16/0.20 mm 3 core PVC insulated and sheathed round copper conductor flex wire or extending the original wiring and giving connections as required 1200 mm 1X20W LED Lamp with box type fixture	1	each		
4	1.27.2: Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc as required. 3 Module (100mmX75mm)	1	each		
5	1.24.1: Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amps switch	1	each		
6	Supplying, Conveyance , installation , testing and commissioning of Pedestal Fan of good quality having 55 watts, sweep size - 450mm and a speed of 1400 rpm - Preferably Crompton or equivalent	1	each		
	Appendix C- Equipments				
1	Supplying and Providing ready to use H2S strip bottles for testing the presence of undesirable amount of coliform bacteria in water sample in the individual schools as mentioned in the name of work.	900	no		
2	Supplying and providing Sterilized PP bottles for collecting bacteriological sample) reagent bottles) 200 ml graduated, screw capped, separately sealed and packed in the individual schools as mentioned in the name of work.	900	no		
3	Supplying and providing Beaker 100ml borosilicate graduated in the individual schools as mentioned in the name of work	5	no		

4	Supplying and Providing Sodium thiosulphate (dechlorinating agent)-white crystals,250gm reagent grade in the individual schools as mentioned in the name of work	1	each		
5	Supplying and Providing multi parameter water quality Analyser (Portable, water proof) for measuring pH, electrical conductivity and total dissolved solids/Salt/Temperature with Calibaration solutions 200ml for the above parameters for testing with Caliberation Standard pH-4.7, ec 84uS as mentioned in the name of work	1	each		
6	Supplying and Providing Double distilled water 10 litre in the schools as mentioned in the work.	1	each		
7	Supplying and Providing Colour Comparater test kits for measuring amount of Ammonia and Nitrate present in test water with test tubes/bottles reagent solutions mixing rod etc in the individual schools as mentioned in the name of work.	5	no		
	Appendix D - Stationaries				
1	Suppling and providing Toilet paper roll-100gms,1 Roll (2ply, minimum 125 sheets) less than 80 GSM in the individual schools as mentioned in the name of work	2	roll		
2	Supplying and providing A4 sheet paper bundle,whitw 500 sheets in the individual schools as mentioned in the name of work	1	bundle		
3	Supplying and providing of Report files Plastic, A4size in the individual schools as mentioned in the name of work	5	no		
4	Supplying and providing of Pen-blue or black ball point pen in the individual schools as mentioned in the name of work	10	each		
5	Supplying and providing Paper clip board-wooden A4 size(330mmx228mmx3mm) in the individual schools as mentioned in the name of work	1	no		

6	Supplying and providing Permanent markers-black/blue ink,fine tip,Marks on metal,OHP sheets ,plastic,glass and ceramics.Water resistant in the invidual schools as mentioned in the above work	3	no		
7	Supplying and providing premium quality cotton hand towel .
 Super Absorbent, 100% Cotton, Quick Dry, Hydro Organic HD Technology of required colour 100% COTTON,400 GSM of size 400mmx600mm
	1	no		
8	Supplying and providing Soap of Approved Brand in the individual schools as mentioned in the name of work.	1	each		
9	Supplying and providing Alcohol-based hand sanitizer/hand wash, with alcohol content of 60-80%, and capacity of 200ml of Approved brand
	1	no		
Total (in ₹) (excl. GST)					
(In words)					

Contractor

Chief Executive Officer